




Certificate of Analysis

COMPLIANCE FOR RETAIL











Sample: DA40112007-003
Harvest/Lot ID: FS1424 C1
Batch#: FS1424 C1
Sample Size Received: 4 ml
Total Amount: 4 ml
Retail Product Size: 2 units
Sample Density: 1.0 g/mL
Ordered: 01/12/24
Sampled: 01/12/24
Completed: 01/14/24
Sampling Method: SOP.T.20.010.FL

PASSED


Jan 14, 2024 | HIGH ROLLER PRIVATE
LABEL LLC
4095N 28TH WAY
HOLLYWOOD, FL, 33020, US



Pages 1 of 1

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides NOT TESTED	 Heavy Metals NOT TESTED	 Microbials NOT TESTED	 Mycotoxins NOT TESTED	 Residuals Solvents NOT TESTED	 Filtration NOT TESTED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED

Cannabinoid **PASSED**



Analyzed by: 1665, 585, 1440 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA068262POT Instrument Used : DA-LC-007 Analyzed Date : 01/12/24 12:34:45	Weight: 0.108g	Extraction date: 01/12/24 12:22:33	Extracted by: 1665,3335 Reviewed On : 01/14/24 17:54:12 Batch Date : 01/12/24 12:06:38
--	--------------------------	--	--

Dilution : 40
Reagent : 060723.50; 070121.27
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
01/14/24