



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30901008-002
Harvest/Lot ID: EJIIIM3423
Batch#: EJIIIM3423
Sample Size Received: 60 ml
Total Amount: 1 units
Retail Product Size: 60 ml
Sample Density: 1.07 g/mL
Ordered: 08/31/23
Sampled: 08/31/23
Completed: 09/06/23
Revision Date: 09/11/23
Sampling Method: SOP.T.20.010.FL

PASSED

Sep 11, 2023 | HIGH ROLLER PRIVATE LABEL LLC
4095N 28TH WAY
HOLLYWOOD, FL, 33020, US






Pages 1 of 1

PRODUCT IMAGE



SAFETY RESULTS



MISC.



Cannabinoid

PASSED



Total THC
ND
Total THC/Container : 0.00 mg



Total CBD
4.324%
Total CBD/Container : 2776.01 mg



Total Cannabinoids
4.348%
Total Cannabinoids/Container : 2791.42 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	4.324	ND	ND	ND	ND	ND	ND	0.024	ND
mg/unit	ND	ND	2594.40	ND	ND	ND	ND	ND	ND	14.40	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analized by:
3335, 1665, 585, 1440

Weight:
3.0254g

Extraction date:
09/05/23 10:30:37

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA064033POT

Instrument Used : DA-LC-007

Analyzed Date : 09/05/23 10:31:25

Reviewed On : 09/06/23 11:19:54

Batch Date : 09/04/23 18:30:00

Dilution : 40

Reagent : 080123.02; 090123.R02; 071222.35; 071222.01; 082923.R03

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164


Signature
09/06/23

Revision: #1 - Added LCV.